

# TUNGSTEN LIGHTING

FRESNELS		DAILY	PAR LIGHTS		DAILY
24kW	Mole (w/ Dimmer)	550.00	Source 4 Par 3200K W/Lenses	20.00	
20kW	Mole (w/ Dimmer)	450.00	1000W Molepar	20.00	
12kW	(Studio Lighting Company/Mole)	175.00	With 5600K Bulb	30.00	
10kW	(SLC Standard/ Mole Baby)	125.00	Theatrical Par Can	15.00	
5kW	(SLC Standard/ Mole Baby)	60.00	5K Tungsten Par	100.00	
2kW	Junior (8" or 10")	40.00	9 Light MaxiBrute	125.00	
2kW	Baby Junior	40.00	With 5600K Bulbs	250.00	
1000W	Baby	25.00	12 Light MaxiBrute	175.00	
1000W	Baby Baby	25.00	24 Light MaxiBrute	350.00	
600W	Tweenie	20.00	Additional 3200K Par Lamps	5.00	
300W	Betweenie	18.00	(Available Flood, Med, Narrow, Wide)		
200W	Inbetweenie (Available At 100W)	15.00	1200W Fire Starters 3200K	15.00	
200W	Midget	15.00	Additional 5600K Par Lamps	20.00	
200W	Mini-Mole	15.00	Strobe Par Cans	25.00	
100W	Pepper	15.00			

## OPEN FACES

2000W	Mighty	30.00
1000W	Mickey	22.00
650W	Teenie	18.00
600W	Teenie-Weenie	18.00
2000W	Nooklite	22.00
1000W	Nooklite	18.00
650W	Nooklite	15.00

## SOFT LIGHTS

8000W	Super Soft	75.00
4000W	Baby (Zip) Softlite	35.00
2000W	Baby (Zip) Softlite	25.00
750W	Baby (Zip) Softlite	15.00

## PAR/FAY LIGHTS

12- Light Molefay	3200K	115.00
	5600K	190.00
9- Light Molefay	3200K	90.00
	5600K	160.00
6- Light Molefay	3200K	60.00
	5600K	125.00
2- Light Molefay	3200K	25.00
	5600K	45.00
1- Light Molefay	3200K	15.00
	5600K	25.00
Additional FCX Globes		3.00
Additional FAY Globes		10.00

## MISCELLANEOUS

6000W	Space Light	75.00
5000W	SkyPan	50.00
4000W	Striplight	35.00
8000W	Striplight	60.00
10kW	Striplight	75.00
1500W	Scoop Light	15.00
K5 Kit		15.00
StickUp Kit		25.00
150W Dedo Light Kit		150.00
Fiber Optics Kit		50.00
Source 4 Ellipsoidal (50°, 36°, 26°, 19°, 10°)		20.00
Source 4 Elips Zoom (15°-30°) or (20°-50°)		30.00
Additional Source 4 Barrell		10.00
Rifa eX 44 Kit (200W)		30.00
Rifa eX 55 Kit (500W)		35.00
Rifa eX 66 Kit (750W)		40.00
Rifa eX 88 Kit (1000W)		45.00

## ACCESSORIES

Snoot Sets	4.00
Midget or Pepper Focal Spot	10.00
Tweenie or Baby Focal Spot	20.00
Dedo Light Focal Spot	10.00
Source 4 Iris	5.00
10K Shutter	30.00
4' x 4' Flat Mirror	35.00
30" Convex Mirror	25.00
4- 1' x 1' "Xenon" Mirror	35.00
Large Lamp Ear Extensions (set of 3)	15.00

WEEKLY RATE: 3 TIMES DAILY RATE

HMI PARS		DAILY	HMI FRESNELS		DAILY
18kW	ARRIMAX	1000.00	18kW	LTM	550.00
12kW	LTM	600.00	12kW	LTM	425.00
6kW	LTM	500.00	6kW	LTM	300.00
4kW	LTM/ARRI	400.00	4kW	LTM	190.00
2500W	LTM/ARRI	275.00	2500W	LTM	140.00
1800W	ARRI BABYMAX	250.00	1200W	LTM	110.00
1200W	LTM/ARRI	125.00	575W	LTM	95.00
575W	ARRI	100.00	200W	LTM	85.00
200W	ARRI Pocket Par	140.00	24W	LTM Kit	75.00
125W	ARRI Pocket Par	125.00			

K5600 JOKER KITS		
800W Joker w/ Chimera		200.00
400W Joker w/ Chimera		175.00
200W Joker w/ Chimera		140.00
125W Joker w/ Chimera		125.00
125W/200W Joker Softube		25.00
Source 4 Elips. Housing for 800W Joker		35.00
400W/200W Joker DC Ballast		60.00
Battery (Belt or Block Style)		40.00

FLICKER FREE BALLASTS		
18kW/12kW		300.00
12kW/6kW		250.00
4kW/2500W		120.00
1200W/575W		60.00

**HMI RENTALS INCLUDE** 1- Head Cable,  
1- Ext. Head Cable, 1- Magnetic Ballast,  
1- Power Cable, 1- 5 Piece Scrim Set,  
1- Gel Frame, 1- Lens Set (Pars Only)

LED KITS		
LED Ribbon Light Kit		250.00
1'x1' Panel Light 5600		150.00
Battery		40.00
Panel Light Kit 5600 or 3200		150.00
(2- 2" x 5" Heads and Batteries)		

XENON LIGHTING		
XenoTech 4000W (Requires 208V 3Ø)		400.00
Viking 2000W/1000W (220V Solid State)		250.00
4' x 4' Flat mirror		35.00
30" Convex Mirror		25.00
4- 1' x 1' "Xenon" Mirror Holder		30.00

### CHIMERA LIGHTBANKS

Extra Small		30.00	Mounting Rings	Extra Small	6.00
Small		40.00		Small/Medium	15.00
Medium		60.00		Large	20.00
Large		100.00		Adjustable 5½"-9"	15.00
Pancake Lantern	Medium	75.00		Adjustable 9-16½"	25.00
Pancake Lantern	Large	115.00			
Lantern 20"		30.00	Jem Ball 22"		45.00
Lantern 30"		40.00	Jem Ball 30"		55.00
Bulb Ring w/ Socket for Lanterns		15.00			

CHIMERA SOFT GRIDS		
Extra Small		10.00
Small		15.00
Medium		20.00
Large		40.00

CHIMERA HONEYCOMBS		
Extra Small		20.00
Small		30.00
Medium		40.00

WEEKLY RATE: 3 TIMES DAILY RATE

# KINO FLO

8' KINO FLO	DAILY	KINO FLO BULBS	DAILY
4 Bank Fixture	100.00	8' Tubes	10.00
2 Bank Fixture	60.00	2900, 3200, 5600, Blue, Green, Red	
Single Fixture	30.00	4' Tubes	5.00
<hr/>		2900, 3200, 5600, Blue, Green, Red, Gold	
<b>4' KINO FLO</b>		2' Tubes	4.00
4 Bank Fixture	60.00	2900, 3200, 5600, Blue, Green, Red	
2 Bank Fixture	30.00	15" Tubes	4.00
Single Fixture	15.00	2900, 3200, 5600	
Flathead 80 Fixture	120.00	<hr/> <b>KINO KITS &amp; MISC</b>	
Wall-Of-Light Fixture	120.00	VistaBeam 600 Kit	150.00
<hr/>		ParaBeam 400 Kit	100.00
<b>2' KINO FLO</b>		Diva-Lite 400 Kit	75.00
4 Bank Fixture	50.00	Kamio Ring Light Kit	150.00
2 Bank Fixture	25.00	BarFly 400 Kit	75.00
Single Fixture	15.00	BarFly 200 Kit	50.00
<hr/>		BarFly 100 Kit	35.00
<b>15" KINO FLO</b>		15" Kino Car Kit (2 Lights)	40.00
2 Bank Fixture	25.00	9" Mini-Flo 2 Light Kit	30.00
Single Fixture	15.00	Micro-Flo 2 Light Kit	40.00
		12V Single Ballast (4-pin XLR)	10.00
		Single Harness (only)	2.50
		4 Bank to Single Splitter	5.00
		6", 9" or 12" Syne-Flo Kits	30.00
		Kino Cart	40.00

•Each fixture includes 1 set of tubes (your choice of color) and 2 head cables.

•Kits include both daylight and tungsten tubes.

## STANDARD FLOUROSCENT

	DAILY		DAILY	
Fixtureless Socket & Ballast	10.00			
Standard Corrected Tubes:				
8'	Optima 3200		Optima 3200	
	Chroma 50		Chroma 50	
	Spectra 3200	5.00	3' Spectra 3200	2.00
	Cool White		Cool White	
	Warm White		Warm White	
4'	Optima 3200		Optima 3200	
	Chroma 50		Chroma 50	
	Spectra 3200		2' Spectra 3200	1.50
	Spectra 3500	2.50	Spectra 3500	
	5500 T8 Movietone		Cool White	
	3200 T8 Movietone		Warm White	
	Cool White			
Warm White				

WEEKLY RATE: 3 TIMES DAILY RATE

# ELECTRICAL EQUIPMENT

Essanay's electrical distribution equipment should at all times be assembled by the user as a fully grounded system with appropriate overload protection.

Single conductor cables are Chi-Loc unless specified otherwise. Multiple conductor cables feature Bates or Edison connectors as required by the N.E.C. Code.

FEEDER CABLE DAILY			DISTRO BOXES DAILY	
50'	#3, #2, 1/0 or 2/0	5.00	200A (2-100A Bates & 2-20A Edison)	20.00
100'	#3, #2, 1/0 or 2/0	10.00	300A (3-100A Bates & 2-20A Edison)	30.00
50'	#3 or #2 1Ø Banded	12.00	600A (6-100A Bates & 4-20A Edison)	60.00
50'	#3 or #2 3Ø Banded	15.00	900A (3-100A 110V Bates, 3-100A 220V Bates & 2-20A Edison)	75.00
10'	4/0 Cam-Lok	5.00	1200A (6-100A 110V Bates, 3-100A 220V Bates & 2-20A Edison)	90.00
25'	4/0 Cam-Lok	7.50	Spyder Box (4 Bar)	7.50
50'	4/0 Cam-Lok	10.00	6x20A Socopex GFI Box	20.00
100'	4/0 Cam-Lok	20.00		
50'	#6 Ground Cable	4.00		
100'	#6 Ground Cable	8.00		
BATES EXTENSIONS			THREEFERS/SPLITTERS	
100'	100 A 110V	15.00	Chi-Loc Threefer	3.00
50'	100 A 110V	8.00	Chi-Loc Grounding Cluster	4.00
25'	100 A 110V	6.00	4/0 Threefer (Cam-Lok)	5.00
50'	60 A 110V	7.00	100A to 60A Bates Splitter	4.00
25'	60 A 110V	5.00	100A to 100A Bates Splitter	4.00
100'	100 A 220V	15.00	60A to 60A Bates Splitter	4.00
50'	100 A 220V	8.00	220V 100A Bates to 2 110V 100A Bates	10.00
25'	100 A 220V	6.00		
EDISON EXTENSIONS			ADAPTERS	
25'	#12/3 (20A)	2.00	Lug to Chi-Loc	3.00
50'	#12/3 (20A)	4.00	Chi-Loc or Cam-Lok Male to Male	3.00
25'	#16/3 (15A)	2.00	Chi-Loc or Cam-Lok Female to Female	3.00
50'	#16/3 (15A)	3.00	Chi-Loc to Cam-Lok (Male or Female)	3.00
100'	#12/3 (20A)	6.00		
BATES TO EDISON			SOCOPEX CABLE	
1900 Box- Shorty (20A)		3.00	100'	15.00
1900 Box- 25' (20A)		3.00	75'	12.50
1900 Box- 25' (30A)		4.00	50'	10.00
1960 Box (3x20A)		8.00	25'	7.50
100A Lunch Box		15.00	Break-Ins/Break Outs	10.00
100A Gang Box		15.00		
TIE-INS			ACCESSORIES	
Straight Twist		3.00	Cable Crossover	15.00
Bare Wire		3.00	End Cap for Crossover	2.50
Lug		3.00	Cable Cart	40.00

WEEKLY RATE: 3 TIMES DAILY RATE

# ELECTRICAL EQUIPMENT

Essanay's electrical distribution equipment should at all times be assembled by the user as a fully grounded system with appropriate overload protection.

Single conductor cables are Chi-Loc unless specified otherwise. Multiple conductor cables feature Bates or Edison connectors as required by the N.E.C. Code.

DIMMERS		DAILY	DIMMERS		DAILY
600W Solid State		10.00	Chaser Control (4 Channel)		10.00
1000W Solid State		12.50	Master Control (4 Channel)		10.00
2000W Solid State		15.00	Interface Spider (Slaves up to 14- 24 kW)		15.00
2000W Crossfade		20.00	2000W Flicker (1 Channel)		15.00
2K Variac		15.00	Dual 2000W Flicker (2 Channel)		30.00
1K Variac		12.50	Triple 2000W Flicker (3 Channel)		45.00
12kW Solid State		50.00	Step-up Transformer		20.00
12kWx2 Solid State		80.00	1200W Inverter (12V DC to 120V AC)		25.00
24kW Solid State		70.00	1800W Inverter- Solid State		75.00
24kW Strand (240V)		125.00	6x100A Dimmer Packs		350.00
28kW Solid State		125.00			
(14- 2000W Channels)					
Flicker Control for		30.00			
14 Channel 28kW Dimmer					
FUSED DISCONNECTS			SNAKE BITE		
100A 3Ø		15.00	110V 100A Bates to Male Chi-Loc		5.00
200A 3Ø		20.00	110V 100A Bates to Female Chi-Loc		5.00
			110V 100A Bates to Female Cam-Lok		5.00
			220V 100A Bates to Male Chi-Loc		5.00
			220V 100A Bates to Female Chi-Loc		5.00
			220V 100A Bates to Female Cam-Lok		5.00

WEEKLY RATE: 3 TIMES DAILY RATE